ABSA
the pressure equipment safety authority

9410 - 20 Ave N.W.
Edmonton, Alberta, Canada T6N 0A4
Tel: (780) 437-9100 / Fax: (780) 437-7787

July 16, 2012

Attention: Marco Cereseto
ITALVALV SRL
STRADA DEL CORRIERE 27
BASALUZZO,

The design submission, tracking number 2012-00180, originally received on January 11, 2012 was surveyed and accepted for registration as follows:

CRN : 0C12524.2 **Accepted on:** July 16, 2012

Reg Type: New Design **Expiry Date:** July 16, 2022

Drawing No. : FY-01-12016; As Noted

Fitting type: VALVES

The registration is conditional on your compliance with the following notes:

- Please note that we have registered the following valves.

1). Butterfly Valves Triple Offset Design

A) Series: FY6
Size : 6" – DN 150 mm; 14" – DN 350 mm

B) Series: FY3 – FY6
Size : 10" – DN 250 mm


2). Trunnion Ball Valves – Full Bore
Series: TF1 – TF6
Size : 4" – DN 100 mm; 16" – DN 400 mm

Note that we have registered the above-mentioned valves with the understanding that they meet all aspects of the ASME B16.34 Standard, including materials of construction, pressure-temperature flange ratings, and wall thicknesses as per Tables 1, 2, and 3 respectivelly, of the B16.34 Standard.
- This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3341 or fax (780) 437-8797 or e-mail DeLeon@absa.ca.

Sincerely,



DE LEON, JESUS, P. Eng.

the pressure equipment safety authority

9410 - 20 Ave N.W.
Edmonton, Alberta, Canada T6N 0A4
Tel: (780) 437-9100 / Fax: (780) 437-7787

July 16, 2012

the pressure equipment safety authority

9410 - 20 Ave N.W.
Edmonton, Alberta, Canada T6N 0A4
Tel: (780) 437-9100 / Fax: (780) 437-7787

January 20, 2016

Attention: Marco Cereseto
ITALVALV SNC
STRADA DEL CORRIERE 27
BASALUZZO, 15060

The design submission, tracking number 2012-01511, originally received on March 05, 2012 was surveyed and accepted for registration as follows:

CRN : 0C16502.2 **Accepted on:** January 20, 2016

Reg Type: New Design **Expiry Date:** January 20, 2026

Drawing No. : TF__02-12020 Rev 2

Fitting type: TRUNNION BALL VALVES FULL BORE (1" & 2")

Description	MAWP	Design Temperature	MDMT
Internal Pressure	1210kPa	250 ^{o}C	-29 ^{o}C

The registration is conditional on your compliance with the following notes:

This registration includes the following drawings:
- *TF__02-12020 Rev 2*
- *TF__01-2P-12020 Rev 3*
- *TF__00-2P-12020 Rev 0*
- *TF__01-3P-12020 Rev 3*
- *TF__00-3P-12020 Rev 0*

This submission has been accepted for registration based on the understanding that the valves will be built in strict accordance with ASME B16.34.

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form. This registration is valid only until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3344 or fax (780) 437-7787 or e-mail Rudolf@absa.ca.

Sincerely,

Keith Rudolf

RUDOLF, KEITH, P. Eng.

the pressure equipment safety authority

9410 - 20 Ave N.W.
Edmonton, Alberta, Canada T6N 0A4
Tel: (780) 437-9100 / Fax: (780) 437-7787

October 29, 2012

Attention: Marco Cereseto
ITALVALV SRL
STRADA DEL CORRIERE 27
BASALUZZO,

The design submission, tracking number 2012-07354, originally received on October 01, 2012 was surveyed and accepted for registration as follows:

CRN : 0C12524.2 **Accepted on:** October 29, 2012

Reg Type: Addition to Acc. Fitting **Expiry Date:** July 16, 2022

Drawing No. : CF__01-12016 & TF__01-2P & 3P-12020; Rev 1

Fitting type: SWING CHECK CF6 ND 14; BALL VALVES TF1 ND 1 & 2.


The registration is conditional on your compliance with the following notes:

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form. This registration is valid only until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3341 or fax (780) 437-8797 or e-mail DeLeon@absa.ca.

Sincerely,



DE LEON, JESUS, P. Eng.

the pressure equipment safety authority

9410 - 20 Ave N.W.
Edmonton, Alberta, Canada T6N 0A4
Tel: (780) 437-9100 / Fax: (780) 437-7787

February 04, 2016

Attention: Marco Cereseto
ITALVALV SRL
STRADA DEL CORRIERE 27
BASALUZZO, 15060

The design submission, tracking number 2016-00316, originally received on January 18, 2016 was surveyed and accepted for registration as follows:

CRN : 0B16564.2 **Accepted on:** February 04, 2016

Reg Type: New Design **Expiry Date:** February 04, 2026

Drawing No. : SGB-PN-PR-29-15244 Rev 0

Fitting type: SEAL GAS BOOSTER - PNEUMATIC PACKING GLAND

Description	MAWP	Design Temperature	MDMT
Internal Pressure	10600kPa	200 °C	3 °C

The registration is conditional on your compliance with the following notes:

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form. This registration is valid only until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

Sincerely,

Preda

PREDA, DRAGOS, P. Eng.

Alberta
MUNICIPAL AFFAIRS

ABSA
the pressure equipment safety authority

ITALVALV srl
INDUSTRIAL VALVES

STATUTORY DECLARATION
Registration of Fittings

I, ROBERTO ROVETA ,

MANAGING DIRECTOR
(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of ITALVALV SRL
(name of manufacturer)

located at STRADA DEL CORRIERE 27 - 15060- BASALUZZO -AL-ITALY
(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act
(check one)

☒ comply with the requirements of ASME B16.34/ANSI/API which specifies the dimensions,
(title of recognized North American Standard)
materials of construction, pressure/temperature ratings and identification marking of the fittings, or

☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, BUREAU VERITAS as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are W.N. SPECIAL FLANGES

In support of this application, the following information, calculations and/or test data are attached:

calculation sheets, copy of ISO 9001 certificate and 97/23 CE P.E.D. certificate

DECLARED before me at BASALUZZO in the STATE of ITALY

this 8th day of January (Month) 2016 (Year)

(print) NOTAIO FRANCO [illegible]

(sign) _____
(A Commissioner for Oaths)

ITALVALV s.r.l.
Strada del Corriere n. 27
15060 BASALUZZO (AL)
C.F. [illegible]

_____
(Signature of Applicant)

For Office Use Only

See Acceptance Letter for the comments and/or conditions of registration.

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category "B"

Registration Number: 0B16564.2

_____
(For the Administrator/Chief Inspector of Alberta)

Date Registered: FEB 04 2016

Expiry Date: 2026/02/04

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Boiler Discipline.

ABSA
the pressure equipment safety authority

9410 - 20 Ave N.W.
Edmonton, Alberta, Canada T6N 0A4
Tel: (780) 437-9100 / Fax: (780) 437-7787

January 28, 2016

Attention: Marco Cereseto
ITALVALV SRL
STRADA DEL CORRIERE 27
BASALUZZO, 15060

The design submission, tracking number 2016-00317, originally received on January 18, 2016 was surveyed and accepted for registration as follows:

CRN : 0B16543.2 **Accepted on:** January 28, 2016

Reg Type: New Design **Expiry Date:** January 28, 2026

Drawing No. : SGB-PN-PR-29-15224 Rev 2 As Noted

Fitting type: WN SPECIAL FLANGE - SEAL GAS BOOSTER

Description	MAWP	Design Temperature	MDMT
Internal Pressure	12500kPa	200 °C	10 °C

The registration is conditional on your compliance with the following notes:

This flange has been evaluated and accepted in accordance with ASME Section VIII, Div. 1, '15 Ed., for the indicated design conditions.

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form. This registration is valid only until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

Sincerely,

Preda

PREDA, DRAGOS, P. Eng.

Alberta
MUNICIPAL AFFAIRS

ABSA
the pressure equipment safety authority

ITALVALV srl
INDUSTRIAL VALVES

STATUTORY DECLARATION
Registration of Fittings

I, ROBERTO ROVETA ,

MANAGING DIRECTOR
(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of ITALVALV SRL
(name of manufacturer)

located at STRADA DEL CORRIERE 27 - 15060- BASALUZZO -AL-ITALY
(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act
(check one)

☒ comply with the requirements of ASME B16.34/ANSI/API which specifies the dimensions,
(title of recognized North American Standard)
materials of construction, pressure/temperature ratings and identification marking of the fittings, or

☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, BUREAU VERITAS as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are W.N. SPECIAL FLANGES

In support of this application, the following information, calculations and/or test data are attached:

calculation sheets, copy of ISO 9001 certificate and 97/23 CE P.E.D. certificate

DECLARED before me at BASALUZZO in the STATE of ITALY

this 8th day of January (Month), 2016 (Year)

(print) NOTAIO FRANCO BOFFANO

(sign) _____
(A ~~Commissioner for Oaths~~)

ITALVALV s.r.l.
Strada del Corriere n. 27
15060 BASALUZZO (AL)
Codice Fiscale 02889980061

_____
(Signature of Applicant)

For Office Use Only

See Acceptance Letter for the comments and/or conditions of registration.

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category U B H

Registration Number: OB16543.2

Date Registered: JAN 28 2016

_____
(For the Administrator/Chief Inspector of Alberta)

Expiry Date: 2026/01/28

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Boiler Discipline.